

GOODWE



(GMK330 | GMK360 | GM330)

V1.3-2023-11-30

01

<https://www.goodwe.com/warrantyrelated.html>




警告

CT 0.5A 265V
House-->Grid CT L
CT RS485 10m
IP20



1	
2	CT
3	

GMK330





Reset



GMK360

RS485 B
RS485 A

Reset





GM330

RS485 B
RS485 A

Reset


CT



CT

House-->Grid



GMK360


1mm² 18AWG

CT

<ul style="list-style-type: none"> • GM330 • CT • CT 1. CT 2. CT • • CT • 	<p>nA/5A nA CT</p> <p>5A CT</p> <p>0.5s 0.2 0.2s</p> <p>CT</p> <p>30m</p>	<p>n</p> <p>200-5000,</p> <p>1%</p> <p>CT</p>
---	---	---

CT






GMK 330/GMK 360

GMK 330,GMK 360





GMK 330






GM330

05

1
2

		RS485
		RS485
		
		Reset 5s
		
 (GMK360)		

SolarGo APP GM330 CT




SolarGo APP GMB30 CT



app

WLA-*** WFA-***



06

1
21
2
3CT RS485 ° °
°


07


		GMK330	GMK360	GM330	
		L-N (V)	220	220	220
		L-L (V)	380	380	380
			0.88Un-1.1Un	0.88Un-1.1Un	0.88Un-1.1Un
		(Hz)	50/60	50/60	50/60
	CT	CT	200A:50mA	200A:50mA	nA:5A
		CT	3	6	/
		RS485	RS485	RS485	
m		1000	1000	1000	
		4 LED	4 LED	4 LED	
	/	Class 0.5	Class 0.5	Class 0.5	
		Class 0.5	Class 0.5	Class 0.5	
		Class 1	Class 1	Class 1	
w		<5	<5	<5	
	* *	72*85*72	72*85*72	72*85*72	
	(g)	240	240	200	
	IP	IP20	IP20	IP20	
		()	-25-60	-25-60	-25-60
		()	-30-70	-30-70	-30-70
		()	0-95%	0-95%	0-95%
		(m)	3000	3000	3000





固德威官网

固德威技术股份有限公司

 中国 苏州 高新区紫金路90号

 T: 400-998-1212

 www.goodwe.com

 service@goodwe.com



340-00926-03

