



快速安装指导

快速关断设备

(GTP-F2L-20 | GTP-F2M-20)

V1.2-2024-07-01

01 安全注意事项

通用声明

-
-
-
-
-
-

<https://www.goodwe.com/support-service/warranty-related>

安全声明

-
-
-
-
-
-
-

PV

1

EU符合性声明


- Electromagnetic compatibility Directive 2014/30/EU (EMC)
- Electrical Apparatus Low Voltage Directive 2014/35/EU (LVD)
- Restrictions of Hazardous Substances Directive 2011/65/EU and (EU) 2015/863 (RoHS)
- Waste Electrical and Electronic Equipment 2012/19/EU
- Registration, Evaluation, Authorization and Restriction of Chemicals (EC) No 1907/2006 (REACH)
EU www.goodwe.com.

02 技术参数

技术参数	GTP-F2L-20	GTP-F2M-20
主要参数		
Vac	100-240	200-480
Vdc	12	
(DC) (A)	0.8	
	SunSpec PLC	
磁环参数		
	150A × 2	150A × 2
A	150× 2	150× 2
Vdc	1500	
mm	150	
/ mm	30/60	
*1	30 15	30 15
环境参数		
°C	-40 - +60	
	IP65	
结构参数		
W× H× D mm	253× 328× 179	
安规特性		
	NEC 2017&2020 (690.12); UL1741; CSA C22.2 No. 330-17	
EMC	FCC Part 15B, ICES-003, IEC/EN61000-6-1/-2/-3/-4	
*1: 5.9mm	5.9mm	
18		








连接PV线

注意

- PV 16
- 3
-
-



05 故障处理

序号	故障现象	解决措施
1		1. 2.
2	/PV	1. 2. 3.
3		1. 2. 3.
4		1. 2.



固德威技术股份有限公司



90



T: 400-998-1212



www.goodwe.com



service@goodwe.com



340-00981-00